OMB Control No. 2900-0776
Respondent Burden: 30 Minutes
Expiration Date: 11/30/2017

Department of Veterans Affairs

DIABETIC SENSORY-MOTOR PERIPHERAL NEUROPATHY DISABILITY BENEFITS QUESTIONNAIRE

IMPORTANT - THE DEPARTMENT OF VETERANS AFFAIRS (VA) WILL NOT PAY OR REIMBURSE ANY EXPENSES OR COST INCURRED IN THE PROCESS OF COMPLETING AND/OR SUBMITTING THIS FORM. PLEASE READ THE PRIVACY ACT AND RESPONDENT BURDEN INFORMATION BEFORE COMPLETING FORM.

NAME OF PATIENT/VETERAN	PATIENT/VETERAN'S SOCIAL SECURITY NUMBER

NOTE TO PHYSICIAN - Your patient is applying to the U.S. Department of Veterans Affairs (VA) for disability benefits. VA will consider the information you provide on this questionnaire as part of their evaluation in processing the veteran's claim. VA reserves the right to confirm the authenticity of ALL DBQ's completed by private health care providers.

SECTION I - DIAGNOSIS

1A. DOES THE VETERAN NOW HAVE OR HAS HE OR SHE EVER BEEN DIAGNOSED WITH DIABETIC PERIPHERAL NEUROPATHY?

☐ YES ☐ NO *(If "Yes," complete Item 1B)*

1B. PROVIDE DIAGNOSES THAT PERTAIN TO DIABETIC PERIPHERAL NEUROPATHY:

DIAGNOSIS # 1 -	ICD CODE -	DATE OF DIAGNOSIS -
DIAGNOSIS # 2 -	ICD CODE -	DATE OF DIAGNOSIS -
DIAGNOSIS # 3 -	ICD CODE -	DATE OF DIAGNOSIS -

1C. IF THERE ARE ADDITIONAL DIAGNOSES THAT PERTAIN TO DIABETIC PERIPHERAL NEUROPATHY, LIST USING ABOVE FORMAT:

SECTION II - MEDICAL HISTORY

2A. DOES THE VETERAN HAVE DIABETES MELLITUS TYPE I OR TYPE II?

☐ YES ☐ NO

2B. DESCRIBE THE HISTORY *(including cause, onset and course)* OF THE VETERAN'S DIABETIC PERIPHERAL NEUROPATHY

2C. DOMINANT HAND

☐ RIGHT ☐ LEFT ☐ AMBIDEXTROUS

SECTION III - SYMPTOMS

3. DOES THE VETERAN HAVE ANY SYMPTOMS ATTRIBUTABLE TO DIABETIC PERIPHERAL NEUROPATHY?

☐ YES ☐ NO *(If "Yes," indicate symptoms' location and severity) (Check all that apply):*

☐ CONSTANT PAIN *(may be excruciating at times)*

RIGHT UPPER EXTREMITY: ☐ None ☐ Mild ☐ Moderate ☐ Severe
LEFT UPPER EXTREMITY: ☐ None ☐ Mild ☐ Moderate ☐ Severe
RIGHT LOWER EXTREMITY: ☐ None ☐ Mild ☐ Moderate ☐ Severe
LEFT LOWER EXTREMITY: ☐ None ☐ Mild ☐ Moderate ☐ Severe

☐ INTERMITTENT PAIN *(usually dull)*

RIGHT UPPER EXTREMITY: ☐ None ☐ Mild ☐ Moderate ☐ Severe
LEFT UPPER EXTREMITY: ☐ None ☐ Mild ☐ Moderate ☐ Severe
RIGHT LOWER EXTREMITY: ☐ None ☐ Mild ☐ Moderate ☐ Severe
LEFT LOWER EXTREMITY: ☐ None ☐ Mild ☐ Moderate ☐ Severe

SECTION III - SYMPTOMS *(Continued)*

3. DOES THE VETERAN HAVE ANY SYMPTOMS ATTRIBUTABLE TO DIABETIC PERIPHERAL NEUROPATHY? *(Continued)*

☐ PARESTHESIAS AND/OR DYSESTHESIAS

RIGHT UPPER EXTREMITY:	☐ None	☐ Mild	☐ Moderate	☐ Severe
LEFT UPPER EXTREMITY:	☐ None	☐ Mild	☐ Moderate	☐ Severe
RIGHT LOWER EXTREMITY:	☐ None	☐ Mild	☐ Moderate	☐ Severe
LEFT LOWER EXTREMITY:	☐ None	☐ Mild	☐ Moderate	☐ Severe

☐ NUMBNESS

RIGHT UPPER EXTREMITY:	☐ None	☐ Mild	☐ Moderate	☐ Severe
LEFT UPPER EXTREMITY:	☐ None	☐ Mild	☐ Moderate	☐ Severe
RIGHT LOWER EXTREMITY:	☐ None	☐ Mild	☐ Moderate	☐ Severe
LEFT LOWER EXTREMITY:	☐ None	☐ Mild	☐ Moderate	☐ Severe

☐ OTHER SYMPTOMS *(Describe symptoms, location and severity):*

SECTION IV - NEUROLOGIC EXAM

4A. STRENGTH - RATE STRENGTH ACCORDING TO THE FOLLOWING SCALE:

0/5 No muscle movement
1/5 Visible muscle movement, but no joint movement
2/5 No movement against gravity
3/5 No movement against resistance
4/5 Less than normal strength
5/5 Normal strength

☐ All normal

Elbow Flexion	RIGHT:	☐ 5/5	☐ 4/5	☐ 3/5	☐ 2/5	☐ 1/5	☐ 0/5
	LEFT:	☐ 5/5	☐ 4/5	☐ 3/5	☐ 2/5	☐ 1/5	☐ 0/5
Elbow Extension	RIGHT:	☐ 5/5	☐ 4/5	☐ 3/5	☐ 2/5	☐ 1/5	☐ 0/5
	LEFT:	☐ 5/5	☐ 4/5	☐ 3/5	☐ 2/5	☐ 1/5	☐ 0/5
Wrist Flexion	RIGHT:	☐ 5/5	☐ 4/5	☐ 3/5	☐ 2/5	☐ 1/5	☐ 0/5
	LEFT:	☐ 5/5	☐ 4/5	☐ 3/5	☐ 2/5	☐ 1/5	☐ 0/5
Wrist Extension	RIGHT:	☐ 5/5	☐ 4/5	☐ 3/5	☐ 2/5	☐ 1/5	☐ 0/5
	LEFT:	☐ 5/5	☐ 4/5	☐ 3/5	☐ 2/5	☐ 1/5	☐ 0/5
Grip	RIGHT:	☐ 5/5	☐ 4/5	☐ 3/5	☐ 2/5	☐ 1/5	☐ 0/5
	LEFT:	☐ 5/5	☐ 4/5	☐ 3/5	☐ 2/5	☐ 1/5	☐ 0/5
Pinch *(thumb to index finger)*	RIGHT:	☐ 5/5	☐ 4/5	☐ 3/5	☐ 2/5	☐ 1/5	☐ 0/5
	LEFT:	☐ 5/5	☐ 4/5	☐ 3/5	☐ 2/5	☐ 1/5	☐ 0/5
Knee Extension	RIGHT:	☐ 5/5	☐ 4/5	☐ 3/5	☐ 2/5	☐ 1/5	☐ 0/5
	LEFT:	☐ 5/5	☐ 4/5	☐ 3/5	☐ 2/5	☐ 1/5	☐ 0/5
Knee Flexion	RIGHT:	☐ 5/5	☐ 4/5	☐ 3/5	☐ 2/5	☐ 1/5	☐ 0/5
	LEFT:	☐ 5/5	☐ 4/5	☐ 3/5	☐ 2/5	☐ 1/5	☐ 0/5
Ankle Plantar Flexion	RIGHT:	☐ 5/5	☐ 4/5	☐ 3/5	☐ 2/5	☐ 1/5	☐ 0/5
	LEFT:	☐ 5/5	☐ 4/5	☐ 3/5	☐ 2/5	☐ 1/5	☐ 0/5
Ankle Dorsiflexion	RIGHT:	☐ 5/5	☐ 4/5	☐ 3/5	☐ 2/5	☐ 1/5	☐ 0/5
	LEFT:	☐ 5/5	☐ 4/5	☐ 3/5	☐ 2/5	☐ 1/5	☐ 0/5

4B. DEEP TENDON REFLEXES (DTRs) - RATE REFLEXES ACCORDING TO THE FOLLOWING SCALE:

0 - Absent
1+ Decreased
2+ Normal
3+ Increased without clonus
4+ Increased with clonus

☐ All normal

Biceps	RIGHT:	☐ 0	☐ 1+	☐ 2+	☐ 3+	☐ 4+
	LEFT:	☐ 0	☐ 1+	☐ 2+	☐ 3+	☐ 4+
Triceps	RIGHT:	☐ 0	☐ 1+	☐ 2+	☐ 3+	☐ 4+
	LEFT:	☐ 0	☐ 1+	☐ 2+	☐ 3+	☐ 4+
Brachioradialis	RIGHT:	☐ 0	☐ 1+	☐ 2+	☐ 3+	☐ 4+
	LEFT:	☐ 0	☐ 1+	☐ 2+	☐ 3+	☐ 4+
Knee	RIGHT:	☐ 0	☐ 1+	☐ 2+	☐ 3+	☐ 4+
	LEFT:	☐ 0	☐ 1+	☐ 2+	☐ 3+	☐ 4+
Ankle	RIGHT:	☐ 0	☐ 1+	☐ 2+	☐ 3+	☐ 4+
	LEFT:	☐ 0	☐ 1+	☐ 2+	☐ 3+	☐ 4+

SECTION IV - NEUROLOGIC EXAM *(Continued)*

4C. LIGHT TOUCH/MONOFILAMENT TESTING RESULTS

☐ All Normal

Shoulder area	RIGHT:	☐ Normal	☐ Decreased	☐ Absent
	LEFT:	☐ Normal	☐ Decreased	☐ Absent
Inner/outer forearm	RIGHT:	☐ Normal	☐ Decreased	☐ Absent
	LEFT:	☐ Normal	☐ Decreased	☐ Absent
Hand/fingers	RIGHT:	☐ Normal	☐ Decreased	☐ Absent
	LEFT:	☐ Normal	☐ Decreased	☐ Absent
Knee/thigh	RIGHT:	☐ Normal	☐ Decreased	☐ Absent
	LEFT:	☐ Normal	☐ Decreased	☐ Absent
Ankle/lower leg	RIGHT:	☐ Normal	☐ Decreased	☐ Absent
	LEFT:	☐ Normal	☐ Decreased	☐ Absent
Foot/toes	RIGHT:	☐ Normal	☐ Decreased	☐ Absent
	LEFT:	☐ Normal	☐ Decreased	☐ Absent

4D. POSITION SENSE *(grasp index finger/great toe on sides and ask patient to identify up and down movement)*

☐ Not tested

RIGHT UPPER EXTREMITY	☐ Normal	☐ Decreased	☐ Absent
LEFT UPPER EXTREMITY	☐ Normal	☐ Decreased	☐ Absent
RIGHT LOWER EXTREMITY	☐ Normal	☐ Decreased	☐ Absent
LEFT LOWER EXTREMITY	☐ Normal	☐ Decreased	☐ Absent

4E. VIBRATION SENSATION *(place low-pitched tuning fork over DIP joint of index finger/IP joint of great toe)*

☐ Not tested

RIGHT UPPER EXTREMITY	☐ Normal	☐ Decreased	☐ Absent
LEFT UPPER EXTREMITY	☐ Normal	☐ Decreased	☐ Absent
RIGHT LOWER EXTREMITY	☐ Normal	☐ Decreased	☐ Absent
LEFT LOWER EXTREMITY	☐ Normal	☐ Decreased	☐ Absent

4F. COLD SENSATION *(test distal extremities for cold sensation with side of tuning fork)*

☐ Not tested

RIGHT UPPER EXTREMITY	☐ Normal	☐ Decreased	☐ Absent
LEFT UPPER EXTREMITY	☐ Normal	☐ Decreased	☐ Absent
RIGHT LOWER EXTREMITY	☐ Normal	☐ Decreased	☐ Absent
LEFT LOWER EXTREMITY	☐ Normal	☐ Decreased	☐ Absent

4G. DOES THE VETERAN HAVE MUSCLE ATROPHY?

☐ YES ☐ NO

(If muscle atrophy is present, indicate location): _____

_____

_____

*(For each instance of muscle atrophy, provide measurements in cm between normal and atrophied side, measured at maximum muscle bulk:*_____ *cm.)*

4H. DOES THE VETERAN HAVE TROPHIC CHANGES *(characterized by loss of extremity hair, smooth, shiny skin, etc.)* ATTRIBUTABLE TO DIABETIC PERIPHERAL NEUROPATHY?

☐ YES ☐ NO *(If "Yes," describe):*

SECTION V - SEVERITY

NOTE: Based on symptoms and findings from Sections III and IV, complete Items 5a and 5b below to provide an evaluation of the severity of the veteran's diabetic peripheral neuropathy.
NOTE: For VA purposes, the term "incomplete paralysis" indicates a degree of lost or impaired function substantially less than the description of complete paralysis that is given with each nerve. If the nerve is completely paralyzed, check the box for "complete paralysis". If the nerve is not completely paralyzed, check the box for "incomplete paralysis" and indicate severity. For VA purposes, when nerve impairment is wholly sensory, the evaluation should be mild, or at most, moderate.

5A. DOES THE VETERAN HAVE AN UPPER EXTREMITY DIABETIC PERIPHERAL NEUROPATHY?

☐ YES ☐ NO *(If "Yes," indicate nerve affected, severity and side affected)*

☐ RADIAL NERVE (musculospiral nerve)

(NOTE: Complete paralysis (hand and fingers drop, wrist and fingers flexed; cannot extend hand at wrist, extend proximal phalanges of fingers, extend thumb or make lateral movement of wrist; supination of hand, elbow extension and flexion weak, hand grip impaired.)

☐ RIGHT: ☐ Normal ☐ Incomplete paralysis ☐ Complete paralysis

(If incomplete paralysis is checked, indicate severity):

☐ Mild ☐ Moderate ☐ Severe

SECTION V - SEVERITY *(Continued)*

5A. DOES THE VETERAN HAVE AN UPPER EXTREMITY DIABETIC PERIPHERAL NEUROPATHY? *(Continued)*

☐ LEFT: ☐ Normal ☐ Incomplete paralysis ☐ Complete paralysis

(If incomplete paralysis is checked, indicate severity):

☐ Mild ☐ Moderate ☐ Severe

☐ MEDIAN NERVE

(NOTE: Complete paralysis (hand inclined to the ulnar side, index and middle fingers extended, atrophy of thenar eminence, cannot make fist, defective opposition of thumb, cannot flex distal phalanx of thumb; wrist flexion weak.)

☐ RIGHT: ☐ Normal ☐ Incomplete paralysis ☐ Complete paralysis

(If incomplete paralysis is checked, indicate severity):

☐ Mild ☐ Moderate ☐ Severe

☐ LEFT: ☐ Normal ☐ Incomplete paralysis ☐ Complete paralysis

(If incomplete paralysis is checked, indicate severity):

☐ Mild ☐ Moderate ☐ Severe

☐ ULNAR NERVE

(NOTE: Complete paralysis ("griffin claw" deformity, atrophy in dorsal interspaces, thenar and hypothenar eminences; cannot extend ring and little finger, cannot spread fingers, cannot adduct the thumb; wrist flexion weakened.)

☐ RIGHT: ☐ Normal ☐ Incomplete paralysis ☐ Complete paralysis

(If incomplete paralysis is checked, indicate severity):

☐ Mild ☐ Moderate ☐ Severe

☐ LEFT: ☐ Normal ☐ Incomplete paralysis ☐ Complete paralysis

(If incomplete paralysis is checked, indicate severity):

☐ Mild ☐ Moderate ☐ Severe

5B. DOES THE VETERAN HAVE A LOWER EXTREMITY DIABETIC PERIPHERAL NEUROPATHY?

☐ YES ☐ NO *(If "Yes," indicate nerve affected, severity and side affected)*

☐ SCIATIC NERVE

(NOTE: Complete paralysis (foot dangles and drops, no active movement of muscles below the knee, flexion of knee weakened or lost.)

☐ RIGHT: ☐ Normal ☐ Incomplete paralysis ☐ Complete paralysis

(If incomplete paralysis is checked, indicate severity):

☐ Mild ☐ Moderate ☐ Moderately Severe ☐ Severe, with marked muscular atrophy

☐ LEFT: ☐ Normal ☐ Incomplete paralysis ☐ Complete paralysis

(If incomplete paralysis is checked, indicate severity):

☐ Mild ☐ Moderate ☐ Moderately Severe ☐ Severe, with marked muscular atrophy

☐ FEMORAL NERVE (anterior crural)

(NOTE: Complete paralysis (paralysis of quadriceps extensor muscles.)

☐ RIGHT: ☐ Normal ☐ Incomplete paralysis ☐ Complete paralysis

(If incomplete paralysis is checked, indicate severity):

☐ Mild ☐ Moderate ☐ Moderately Severe

☐ LEFT: ☐ Normal ☐ Incomplete paralysis ☐ Complete paralysis

(If incomplete paralysis is checked, indicate severity):

☐ Mild ☐ Moderate ☐ Moderately Severe

SECTION VI - OTHER PERTINENT PHYSICAL FINDINGS, COMPLICATIONS, CONDITIONS, SIGNS AND/OR SYMPTOMS

6A. DOES THE VETERAN HAVE ANY SCARS (surgical or otherwise) RELATED TO ANY CONDITIONS OR TO THE TREATMENT OF ANY CONDITIONS LISTED IN SECTION I, DIAGNOSIS?

☐ YES ☐ NO *(If "Yes," are any of the scars painful and/or unstable, or is the total area of all related scars greater than or equal to 39 square cm (6 square inches?))*

☐ YES ☐ NO *(If "Yes," ALSO complete VA Form 21-0960F-1, Scars/Disfigurement Disability Benefits Questionnaire)*

6B. DOES THE VETERAN HAVE ANY OTHER PERTINENT PHYSICAL FINDINGS, COMPLICATIONS, CONDITIONS, SIGNS AND/OR SYMPTOMS RELATED TO ANY CONDITIONS LISTED IN SECTION I, DIAGNOSIS?

☐ YES ☐ NO *(If "Yes," describe) (Brief summary):*

SECTION VII - DIAGNOSTIC TESTING

NOTE: For purposes of this examination, electromyography (EMG) studies are rarely required to diagnose diabetic peripheral neuropathy. The diagnosis of diabetic peripheral neuropathy can be made in the appropriate clinical setting by a history of characteristic pain and/or sensory changes in a stocking/glove distribution and objective clinical findings, which may include symmetrical lost/decreased reflexes, decreased strength, lost/decreased sensation for cold, vibration and/or position sense, and/or lost/decreased sensation to monofilament testing.

7A. HAVE EMG STUDIES BEEN PERFORMED?

☐ YES ☐ NO

(Extremities tested):

☐ RIGHT UPPER EXTREMITY	Results:	☐ Normal	☐ Abnormal	Date: _____
☐ LEFT UPPER EXTREMITY	Results:	☐ Normal	☐ Abnormal	Date: _____
☐ RIGHT LOWER EXTREMITY	Results:	☐ Normal	☐ Abnormal	Date: _____
☐ LEFT LOWER EXTREMITY	Results:	☐ Normal	☐ Abnormal	Date: _____

(If abnormal, describe): _____

7B. IF THERE ARE OTHER SIGNIFICANT FINDINGS OR DIAGNOSTIC TEST RESULTS, PROVIDE DATES AND DESCRIBE

SECTION VIII - FUNCTIONAL IMPACT

8. DOES THE VETERAN'S DIABETIC PERIPHERAL NEUROPATHY IMPACT HIS OR HER ABILITY TO WORK?

☐ YES ☐ NO *If "Yes," describe impact of the veteran's diabetic peripheral neuropathy, providing one or more examples:*

SECTION IX - REMARKS

9. REMARKS, if any*:*

SECTION X - PHYSICIAN'S CERTIFICATION AND SIGNATURE

CERTIFICATION - To the best of my knowledge, the information contained herein is accurate, complete and current.

10A. PHYSICIAN'S SIGNATURE	10B. PHYSICIAN'S PRINTED NAME	10C. DATE SIGNED

10D. PHYSICIAN'S PHONE AND FAX NUMBER	10E. PHYSICIAN'S MEDICAL LICENSE NUMBER	10F. PHYSICIAN'S ADDRESS

NOTE - VA may request additional medical information, including additional examinations, if necessary to complete VA's review of the veteran's application.

IMPORTANT - Physician please fax the completed form to _____

(VA Regional Office FAX No.)

NOTE - A list of VA Regional Office FAX Numbers can be found at **www.benefits.va.gov/disabilityexams** or obtained by calling 1-800-827-1000.

PRIVACY ACT NOTICE: VA will not disclose information collected on this form to any source other than what has been authorized under the Privacy Act of 1974 or Title 38, Code of Federal Regulations 1.576 for routine uses (i.e., civil or criminal law enforcement, congressional communications, epidemiological or research studies, the collection of money owed to the United States, litigation in which the United States is a party or has an interest, the administration of VA programs and delivery of VA benefits, verification of identity and status, and personnel administration) as identified in the VA system of records, 58VA21/22/28, Compensation, Pension, Education and Vocational Rehabilitation and Employment Records - VA, published in the Federal Register. Your obligation to respond is voluntary. VA uses your SSN to identify your claim file. Providing your SSN will help ensure that your records are properly associated with your claim file. Giving us your SSN account information is voluntary. Refusal to provide your SSN by itself will not result in the denial of benefits. VA will not deny an individual benefits for refusing to provide his or her SSN unless the disclosure of the SSN is required by a Federal Statute of law in effect prior to January 1, 1975, and still in effect. The requested information is considered relevant and necessary to determine maximum benefits under the law. The responses you submit are considered confidential (38 U.S.C. 5701). Information submitted is subject to verification through computer matching programs with other agencies.

RESPONDENT BURDEN: We need this information to determine entitlement to benefits (38 U.S.C. 501). Title 38, United States Code, allows us to ask for this information. We estimate that you will need an average of 30 minutes to review the instructions, find the information, and complete a form. VA cannot conduct or sponsor a collection of information unless a valid OMB control number is displayed. You are not required to respond to a collection of information if this number is not displayed. Valid OMB control numbers can be located on the OMB Internet Page at **www.reginfo.gov/public/do/PRAMain**. If desired, you can call 1-800-827-1000 to get information on where to send comments or suggestions about this form.